

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S62	4308	(linear adj actuator) (screw or spindle or shaft or rod) nut	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/01 12:32
S63	778	S62 ((detect\$3 or sens\$3 or limit or switch) with (slot or opening or groove or aperture))	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/01 12:33
S64	5058	((linear actuator) or (leadscrew or ballscrew or feedscrew) or (lead adj screw) or (ball adj screw) or (feed adj screw)).ti.	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/01 14:02
S65	67	S64 potentiometer	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/01 14:03

S66	65	("1122409" "1263934" "2290899" "2369986" "2441505" "2469269" "2660281" "3029660" "3038352" "3209090" "3463891" "3480746" "3504555" "3529104" "3894232" "4019616" "4078440" "4137784" "4307799" "4328885" "4334649" "4442390" "4515415" "4712441").PN. OR ("4858481").URPN.	US- PGPUB; USPAT; USOCR	AND	ON	2008/08/01 14:27
S67	25	("1955906" "3179910" "3360755" "3497858" "3676825" "3815076" "3982220" "3987389" "4004264" "4114132" "4114133" "4132972" "4357591" "4672858" "4771262").PN. OR ("6078249"). URPN.	US- PGPUB; USPAT; USOCR	AND	ON	2008/08/02 11:38
S68	317	(linear adj actuator) potentiometer (screw or spindle or shaft) nut position	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 11:54
S69	3219	(74/392,395,396,397,400,401,89.36,89.37).CCLS.	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/08/02 12:26
S70	32	S69 potentiometer	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 12:27
S71	1	("4672858").PN.	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/08/02 13:34

S72	1	08/906529.app.	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 13:41
S73	2632	(linear adj actuator) ((screw or shaft or spindle) with nut) (position\$3 or detect\$3 or sens\$3)	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 13:59
S74	216	S73 (potentiometer or potentiometer sensor)	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 14:00
S75	831	(potentiometer or potentiometer sensor).ti. adjust\$4	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 14:43
S76	527	S75 (screw or spindle or shaft)	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 14:44
S77	130	S75 nut	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 14:44

S78	125	(adjust\$4 potentiometer).ti.	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 15:06
S79	96	(feedscrew or leadscrew or ballscrew) (potentiometer with adjust\$4)	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 15:18
S80	1382	(feedscrew or leadscrew or ballscrew) ((sensor or position\$3 or detect) with adjust\$4)	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 15:26
S81	711	S80 (screw or spindle or shaft) nut	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 15:26
S82	3	S69 (feedscrew or leadscrew or ballscrew) ((sensor or position\$3 or detect) with adjust\$4)	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/02 15:27
S83	27	("3951004" "4241814" "4318304" "4602520" "4669325" "4679457" "4790201" "4858481" "5090513" "5388471" "5461935" "5620078" "5655636").PN. OR ("5809833").URPN.	US- PGPUB; USPAT; USOCR	AND	ON	2008/08/02 15:30

S86	837	(74/395).CCLS.	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/08/03 18:55
S87	188	S86 thread\$3	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/03 18:56
S89	107	S87 nut	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/03 18:56
S90	807	(74/89.23).CCLS.	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/08/03 19:03
S91	513	S90 position\$3	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/03 19:04
S92	182	S91 (sens\$3 or detect\$3 or measur\$3)	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/03 19:05

S93	15	(potentiometer near3 (axially (movable or slidable)))	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/03 19:34
S94	16	("4078198" "4228386" "4345195" "4426607" "4616164" "4656407").PN. OR ("4931710").URPN.	US- PGPUB; USPAT; USOCR	AND	ON	2008/08/03 19:52
S95	27	S90 (worm with reduc\$4)	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	AND	ON	2008/08/03 20:50

8/ 4/ 2008 12:18:58 AM

C:\Documents and Settings\mjohnson\My Documents\EAST\Workspaces\10584359 Linear Actuator.wsp